



# KAISHAN COMPRESSOR

## SPECIFICATION SHEET

### Product information

Model	KRSL-100-45
Cooling	Air cooled
Power Supply - voltage	460V
Power Supply - Frequency	60Hz
Power Supply - Phases	3-Phase
Typers of drive	Direct
Maximum ambient temperature - °F	115
Minimum ambient temperature - °F	32

### Compressor performance\*

Rated Working Pressure - psig	36
Minimum working pressure - psig	30
Maximum working pressure - psig	45
Capacity at rated Working Pressure - acfm	1010
Total input Power at rated Working Pressure – kW	95.2
Specific Power at rated Working Pressure-kW/100 cfm	9.4

### Motor Data (Typical)

Motor rated HP	100
Motor Nominal Efficiency %	95.4%
Motor frame	TEFC
Service Factor	1.3
Starter Type	Y-Δ
Motor Protection	IP54

### Dimensions & Weights w/Enclosure Air-cooled Series

Length - in	113
Width - in	69
Height - in	81
Weight - lbs	7715
Discharge Pipe Size	NPS5
Moisture Drain Connection	-

### dBA Ratings at 3 feet (Typical)

Air – cooled enclosure - dBA	74
------------------------------	----



# KAISHAN COMPRESSOR

## SPPECIFICATION SHEET

### Cooling Air Flows

Cooling fan capacity - cfm	9888
Fan Motor - HP	5
Cooling fan	Centrifugal

### Filter Rating

Inlet Air	99.9% Eff.
Oil Filter	23µm
Fluid Carryover(PPM)	3ppm

### Product features

Airend	Single stage
Motor brand	WEG
Motor type	IEC
Control Type	Modulation
Enclosure/Cabinet type	Low sound